

Quality And Accreditation Institute

Centre for International Accreditation



QAI CIA is an ILAC MRA Signatory

Certificate of Accreditation

Eastern Regional Hospital Laboratory

Eastern Regional Hospital

P.O Box 201, Koforidua, Ghana

has been assessed and accredited in accordance with the Standard

ISO 15189:2022

“Medical Laboratories - Requirements for Quality and Competence”

In the field of

Medical Testing

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued compliance to the above standard & any other requirements specified by QAI.



QAI/CIA/ML/2022/0013

(Date of First Accreditation: 17 Aug 2022 - 16 Aug 2024)

Valid from: 26 Aug 2025

Valid until: 25 Aug 2027

Dr. Bhupendra Kumar Rana
Chief Executive Officer

Prof. Vikram Kumar
Chair, CIA



Quality And Accreditation Institute

Centre for International Accreditation



QAI CIA is an ILAC MRA Signatory

Scope of Accreditation

Eastern Regional Hospital Laboratory

*Eastern Regional Hospital
P.O Box 201, Kofofidua, Ghana*

QAI/CIA/ML/2022/0013

Date of First Accreditation: 17 Aug 2022- 16 Aug 2024

Valid from: 26 Aug 2025

Valid until: 25 Aug 2027

Accreditation Standard: ISO 15189:2022

Clinical Biochemistry			
Sl. No.	Type of Sample Examined/ Tested	Tested Specific Tests/ Examination Performed	Standard (Method), Principle/ Methodology or Technique Used
1.	Serum/Plasma	Glucose	Glucose Oxidase
2.		Albumin	Bromocresol Green End-Point
3.		Total Cholesterol	Enzymatic End point



Quality And Accreditation Institute

Centre for International Accreditation



QAI CIA is an ILAC MRA Signatory

Scope of Accreditation

Eastern Regional Hospital Laboratory

*Eastern Regional Hospital
P.O Box 201, Kofofidua, Ghana*

QAI/CIA/ML/2022/0013

Date of First Accreditation: 17 Aug 2022- 16 Aug 2024

Valid from: 26 Aug 2025

Valid until: 25 Aug 2027

Accreditation Standard: ISO 15189:2022

Haematology			
Sl. No.	Type of Sample Examined/ Tested	Tested Specific Tests/ Examination Performed	Standard (Method), Principle/ Methodology or Technique Used
1.	EDTA Whole Blood	Absolute Basophil Count	Flow Cytometry Method Using Semiconductor Laser
2.		Absolute Eosinophil Count	
3.		Absolute Lymphocyte Count	
4.		Absolute Monocyte Count	
5.		Absolute Neutrophil Count	
6.		Basophils %	
7.		Eosinophils %	
8.		Monocytes %	
9.		IG	
10.		IG%	
11.		Lymphocytes %	
12.		White Blood Cells	
13.		Neutrophils %	
14.		NRBC	
15.		NRBC%	

This is annexure to 'Certificate of Accreditation' and does not require any signature.

www.qai.org.in



2 of 4

Quality And Accreditation Institute

Centre for International Accreditation



QAI CIA is an ILAC MRA Signatory

Scope of Accreditation

Eastern Regional Hospital Laboratory

Eastern Regional Hospital
P.O Box 201, Koforidua, Ghana

QAI/CIA/ML/2022/0013

Date of First Accreditation: 17 Aug 2022- 16 Aug 2024

Valid from: 26 Aug 2025

Valid until: 25 Aug 2027

Accreditation Standard: ISO 15189:2022

Haematology			
Sl. No.	Type of Sample Examined/ Tested	Tested Specific Tests/ Examination Performed	Standard (Method), Principle/ Methodology or Technique Used
16.	EDTA Whole Blood	Haemoglobin	Hydrodynamically Focussed DC Detection Method, SLS (Sodium Lauryl Sulphate)- Haemoglobin Method for Haemoglobin Estimation
17.		HCT	
18.		MCH	
19.		MCHC	
20.		MCV	
21.		MPV	
22.		PCT	
23.		PDW	
24.		Platelet Count	
25.		P-LCR	
26.		RDW-CV	
27.		RDW-SD	
28.		Red Blood Cells	
29.		Peripheral Smear for Malaria Parasite	Giemsa Stain (Thick & Thin Smear)/ Microscopy

This is annexure to 'Certificate of Accreditation' and does not require any signature.

www.qai.org.in



3 of 4

Quality And Accreditation Institute

Centre for International Accreditation



QAI CIA is an ILAC MRA Signatory

Scope of Accreditation

Eastern Regional Hospital Laboratory

*Eastern Regional Hospital
P.O Box 201, Kofofidua, Ghana*

QAI/CIA/ML/2022/0013

Date of First Accreditation: 17 Aug 2022- 16 Aug 2024

Valid from: 26 Aug 2025

Valid until: 25 Aug 2027

Accreditation Standard: ISO 15189:2022

Microbiology and Serology			
Sl. No.	Type of Sample Examined/ Tested	Tested Specific Tests/ Examination Performed	Standard (Method), Principle/ Methodology or Technique Used
1.	Sputum	Mycobacteria Tuberculosis	Real Time PCR using GeneXpert
2.	Plasma	HIV Viral Load	Real Time PCR using Abbot M2000Sp/Rt

