

Quality And Accreditation Institute

Centre for International Accreditation



Certificate of Accreditation

UROLAB

(A Division of Sterling Accuris wellness Pvt. Ltd.)

*410, Sigma Icon-1, opp. Medilink Hospital, Shyamal Crossroads,
Ahmedabad-380015, Gujarat, India*

has been assessed and accredited in accordance with the Standard

ISO 15189:2022

*“Medical Laboratories - Requirements for Quality and Competence”
In the field of*

Medical Testing

*This certificate remains valid for the Scope of Accreditation as
specified in the annexure subject to continued compliance to the above
standard & any other requirements specified by QAI.*



QAI/CIA/ML/2024/0023

(Date of First Accreditation: 04 October 2024)

Valid from: 04 October 2026

Valid until: 03 October 2028

Dr. Bhupendra Kumar Rana
Chief Executive Officer

Prof. Vikram Kumar
Chair, CIA



Quality And Accreditation Institute

Centre for International Accreditation



Scope of Accreditation

Uro Lab

(A Division of Sterling Accuris Wellness Pvt. Ltd.)

410, Sigma Icon-1, opp. Medilink Hospital, Shyamal Crossroads,
Ahmedabad-380015, Gujarat, India

QAI/CIA/ML/2024/0023

Date of First Accreditation: 04 October 2024

Valid from: 04 October 2026

Valid until: 03 October 2028

Accreditation Standard: ISO 15189:2022

Clinical Biochemistry			
Sl. No.	Type of Sample Examined/ Tested	Specific Tests/ Examination Performed	Standard (Method), Principle/ Methodology or Technique Used
1.	Urinary and Gall Stone	Magnesium ammonium phosphate hexahydrate	FT-IR (Fourier transform infrared spectroscopy)
2.	Urinary and Gall Stone	Calcium phosphate (carbonate form)	FT-IR (Fourier transform infrared spectroscopy)
3.	Urinary and Gall Stone	Ammonium urate	FT-IR (Fourier transform infrared spectroscopy)
4.	Urinary and Gall Stone	Uric acid	FT-IR (Fourier transform infrared spectroscopy)
5.	Urinary and Gall Stone	Calcium monohydrogen phosphate dihydrate	FT-IR (Fourier transform infrared spectroscopy)
6.	Urinary and Gall Stone	Calcium oxalate dihydrate	FT-IR (Fourier transform infrared spectroscopy)
7.	Urinary and Gall Stone	Calcium oxalate monohydrate	FT-IR (Fourier transform infrared spectroscopy)
8.	Urinary and Gall Stone	Calcium phosphate (Hydroxyl form)	FT-IR (Fourier transform infrared spectroscopy)
9.	Urinary and Gall Stone	Magnesium monohydrogen phosphate trihydrate	FT-IR (Fourier transform infrared spectroscopy)

This is annexure to 'Certificate of Accreditation' and does not require any signature.

www.qai.org.in



1 of 4

Quality And Accreditation Institute

Centre for International Accreditation



Scope of Accreditation

Uro Lab

(A Division of Sterling Accuris Wellness Pvt. Ltd.)

410, Sigma Icon-1, opp. Medilink Hospital, Shyamal Crossroads,
Ahmedabad-380015, Gujarat, India

QAI/CIA/ML/2024/0023

Date of First Accreditation: 04 October 2024

Valid from: 04 October 2026

Valid until: 03 October 2028

Accreditation Standard: ISO 15189:2022

Clinical Biochemistry			
Sl. No.	Type of Sample Examined/ Tested	Specific Tests/ Examination Performed	Standard (Method), Principle/ Methodology or Technique Used
10.	Urinary and Gall Stone	Beta-Calcium phosphate	FT-IR (Fourier transform infrared spectroscopy)
11.	Urinary and Gall Stone	2, 8-dihydroxyadenine	FT-IR (Fourier transform infrared spectroscopy)
12.	Urinary and Gall Stone	Amorphous calcium phosphate	FT-IR (Fourier transform infrared spectroscopy)
13.	Urinary and Gall Stone	Cholesterol	FT-IR (Fourier transform infrared spectroscopy)
14.	Urinary and Gall Stone	Calcium carbonate	FT-IR (Fourier transform infrared spectroscopy)
15.	Urinary and Gall Stone	Cystine	FT-IR (Fourier transform infrared spectroscopy)
16.	Urinary and Gall Stone	Dahllite	FT-IR (Fourier transform infrared spectroscopy)
17.	Urinary and Gall Stone	Sodium urate monohydrate	FT-IR (Fourier transform infrared spectroscopy)
18.	Urinary and Gall Stone	Xanthine	FT-IR (Fourier transform infrared spectroscopy)

This is annexure to 'Certificate of Accreditation' and does not require any signature.

www.qai.org.in



2 of 4

Quality And Accreditation Institute

Centre for International Accreditation



Scope of Accreditation

Uro Lab

(A Division of Sterling Accuris Wellness Pvt. Ltd.)

410, Sigma Icon-1, opp. Medilink Hospital, Shyamal Crossroads,
Ahmedabad-380015, Gujarat, India

QAI/CIA/ML/2024/0023

Date of First Accreditation: 04 October 2024

Valid from: 04 October 2026

Valid until: 03 October 2028

Accreditation Standard: ISO 15189:2022

Clinical Biochemistry			
Sl. No.	Type of Sample Examined/ Tested	Specific Tests/ Examination Performed	Standard (Method), Principle/ Methodology or Technique Used
19.	Urinary and Gall Stone	Magnesium monohydrogenphosphate trihydrate	FT-IR (Fourier transform infrared spectroscopy)
20.	Urinary and Gall Stone	Ammonium magnesium phosphate	FT-IR (Fourier transform infrared spectroscopy)
21.	Urinary and Gall Stone	Protein and blood	FT-IR (Fourier transform infrared spectroscopy)
22.	24 Hours Urine	Super saturation index value of calcium oxide	Calculated by Litho-risk software
23.	24 Hours Urine	Super saturation index value of calcium phosphate	Calculated by Litho-risk software
24.	24 Hours Urine	Super saturation index value of uric acid	Calculated by Litho-risk software
25.	24 Hours Urine	Urinary pH	Litmus Paper
26.	24 Hours Urine	Urine volume (24 hours)	Measuring flask
27.	24 Hours Urine	Calcium	Arsenazo III
28.	24 Hours Urine	Uric acid	Uricase peroxidase reflectance spectrophotometry

This is annexure to 'Certificate of Accreditation' and does not require any signature.

www.qai.org.in



3 of 4

Quality And Accreditation Institute

Centre for International Accreditation



Scope of Accreditation

Uro Lab

(A Division of Sterling Accuris Wellness Pvt. Ltd.)

410, Sigma Icon-1, opp. Medilink Hospital, Shyamal Crossroads,
Ahmedabad-380015, Gujarat, India

QAI/CIA/ML/2024/0023

Date of First Accreditation: 04 October 2024

Valid from: 04 October 2026

Valid until: 03 October 2028

Accreditation Standard: ISO 15189:2022

Clinical Biochemistry			
Sl. No.	Type of Sample Examined/ Tested	Specific Tests/ Examination Performed	Standard (Method), Principle/ Methodology or Technique Used
29.	24 Hours Urine	Phosphorus	PNP-XOD-POD-Reflectance spectrophotometry
30.	24 Hours Urine	Magnesium	Xylidyl blue
31.	24 Hours Urine	Creatinine	Creatininase Enzymatic
32.	24 Hours Urine	Citrate	Enzymatic colorimetric
33.	24 Hours Urine	Oxalate	Enzymatic colorimetric
34.	24 Hours Urine	Sodium	Potentiometry (ISE)
35.	24 Hours Urine	Potassium	Potentiometer (ISE)

